


PART NUMBER	A	B
SLD-1-Hns-A.008B.008-E-S	.008 / .203	.008 / .203
SLD-1-Hns-A.010B.010-E-S	.010 / .254	.010 / .254
SLD-1-Hns-A.012B.012-E-S	.012 / .305	.012 / .305
SLD-1-Hns-A.014B.014-E-S	.014 / .356	.014 / .356
SLD-1-	?	?
	in / mm	in / mm


Thermo- couple Type	Material	Max Temp Range
E	Chromega®/Constantan	900°C (1652°F)
J	Iron / Constantan	750°C (1382°F)
K	Chromega® / Alomega®	125°C (2282°F)



Part Number Construction
SLD-1-Hns-A.008B.008-E-S

Plug Type
Thermocouple
Dimensions
Material
Product Series

Standard Tip Material:
Haynes (Hns)



Custom configurations and Materials
available.
Contact the factory for assistance.

AIT PROPRIETARY THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED, USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT WRITTEN PERMISSION OF AIT		SIGNATURE		DATE	
		DRAWN			
		CHECKED			
		ENGINEER			
MC		THIRD ANGLE PROJECTION		Microtronic GmbH www.microtronic.de	
DO NOT SCALE DRAWING		SIZE A	JOB NUMBER	DRAWING NUMBER SLD-1	
		SCALE: 1/1		SHT 1 OF 1	