







MICROTRONIC MICROELECTRONIC VERTRIEBS GMBH

SELF CONTAINED MANUALLY OPERATED HANDLING TOOLS



Microtronic GmgH Tel: 08722/9620-0 http://www.microtronic.de



STATIC DISSIPATIVE NON-MARKING BUNA-N CUPS TEMPERATURE RANGE (-5°F + 250°F) (-20°C + 120°C)

DENLYAC WITH A DDODEC + CLIDS	1.1	F 24	OF LID
PEN-VAC WITH 4 PROBES + CUPS Three best probes with 1/9" (2.19mm), 1/4" (6.25mm), 2/9" (0.52mm)	1-4	5-24	25-UP
Three bent probes with 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm),		PRICE EACH	
diameter vacuum cups, one straight probe with 1/4" (6.35mm) diameter vacuum cup.			
VI-V8901-A-B Standard PEN-VAC, static dissipative Buna-N cups	€ 70.00	-	-
VI-V8920E-A-B Junior PEN-VAC, static dissipative Buna-N cups	€ 70.00	-	-
PEN-VAC KIT WITH 6 PROBES + CUPS	1-4	5-24	25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8"		PRICE EACH	
(3.18mm), 3/16" (4.76mm), 1/4" (6.35mm) diameter.			
VI-V8901-MPS-B Standard PEN-VAC, static dissipative Buna-N cups	€ 70.00	-	_
VI-V8920E-MPS-B Junior PEN-VAC, static dissipative Buna-N cups	€ 70.00	-	_
HARRE			
PEN-VAC KIT WITH 6 PROBES + CUPS	1-4	5-24	25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8"		PRICE EACH	
(3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) diameter.			
VI-V8901-LMS-B Standard PEN-VAC, static dissipative Buna-N cups	€ 70.00	-	-
VI-V8920E-LMS-B Junior PEN-VAC, static dissipative Buna-N cups	€ 70.00	-	-
PEN-VAC KIT WITH 6 PROBES + CUPS	1-4	5-24	25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/4"		PRICE EACH	
(6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter.			
VI-V8901-HLM-B Standard PEN-VAC, static dissipative Buna-N cups	€ 70.00	-	-
VI-V8920E-HLM-B Junior PEN-VAC, static dissipative Buna-N cups	€ 70.00	-	-
PEN-VAC KIT WITH 10 PROBES + CUPS	1-4	5-24	25-UP
PEN-VAC KIT WITH 10 PROBES + COPS		0 2-	
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter.		PRICE EACH	
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups	€ 70.00		-
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter.			-
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups	€ 70.00		-
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups	€ 70.00		- - 25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE	€ 70.00 € 70.00	PRICE EACH -	- - 25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE Two of each size cup on one bent and one straight probe. Cup sizes are 1/8"	€ 70.00 € 70.00	PRICE EACH 5-24	- - 25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) diameter. Case has locations for each item.	€ 70.00 € 70.00	PRICE EACH 5-24	- - 25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) diameter. Case has locations for each item. VI-V8901-D-B Standard PEN-VAC, static dissipative Buna-N cups	€ 70.00 € 70.00	PRICE EACH 5-24 PRICE EACH	- - 25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) diameter. Case has locations for each item.	€ 70.00 € 70.00	PRICE EACH 5-24 PRICE EACH	25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) diameter. Case has locations for each item. VI-V8901-D-B Standard PEN-VAC, static dissipative Buna-N cups	€ 70.00 € 70.00	PRICE EACH 5-24 PRICE EACH	25-UP
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) diameter. Case has locations for each item. VI-V8901-D-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-D-B Sunior PEN-VAC, static dissipative Buna-N cups	€ 70.00 € 70.00 1-4 € 70.00 € 70.00	PRICE EACH 5-24 PRICE EACH	-
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) diameter. Case has locations for each item. VI-V8901-D-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-D-B Sunior PEN-VAC, static dissipative Buna-N cups PEN-VAC WITHOUT PROBES OR VACUUM CUPS You order the probes and cups that you need.	€ 70.00 € 70.00 1-4 € 70.00 € 70.00	PRICE EACH 5-24 PRICE EACH 5-24 PRICE EACH	-
Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), 3/8" (9.53mm), 1/2" (12.7mm) diameter. VI-V8901-TEN-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-TEN-B Junior PEN-VAC, static dissipative Buna-N cups PEN-VAC KIT WITH 6 PROBES + CUPS, PLASTIC CASE Two of each size cup on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) diameter. Case has locations for each item. VI-V8901-D-B Standard PEN-VAC, static dissipative Buna-N cups VI-V8920E-D-B Sunior PEN-VAC, static dissipative Buna-N cups	€ 70.00 € 70.00 1-4 € 70.00 € 70.00	PRICE EACH 5-24 PRICE EACH	-



These ESD-safe units feature a silver aluminum body and non-marking static dissipative Buna-N black rubber vacuum cups. Vacuum is generated by pressing and releasing the vacuum push button.

STANDARD SIZE 5 3/4" (146mm) long 1/2" (12.7mm) diameter

Colors: silver, red and blue

Rear storage cap for probes and cups. Available on standard unit only

Pocket clip

Silver aluminum body

Cups can be mounted directly to tool

Vacuum push



Pocket clip

Vacuum push button



Quick change luer probe + cup


Prices subject to change without notice.

Microtronic GmgH Tel: 08722/9620-0 http://www.microtronic.de



These economically priced tools are available with a black or gray static dissipative plastic body and with conductive black silicone vacuum cups. Vacuum is generated by pressing and releasing the vacuum push button.

PRO-SERIES PEN-VAC





PRO-SERIES PEN-VAC® VACUUM HANDLING TOOL KITS

LIGHT WEIGHT ESD-SAFE PLASTIC, CONDUCTIVE SILICONE CUPS

	KIT WITH 4 PROBES + CUPS	1-4	5-24	25-UP
	(3.18mm), 1/4" (6.35mm), 3/8" (9.53mm), diameter vacuum h 1/4" (6.35mm) diameter vacuum cup.		PRICE EACH	
V8910-9BK-ESD	Black body, conductive silicone cups	€ 48.00	-	-
V8910-9GR-ESD	Gray body, conductive silicone cups	€ 48.00	-	-
177				
PRO-SERIES PEN-VAC	KIT WITH 6 PROBES + CUPS	1-4	5-24	25-UP
Two of each size cup on one 3/16" (4.76mm), 1/4" (6.35m	e bent and one straight probe. Cup sizes are 1/8" (3.18mm), m) diameter.		PRICE EACH	
V8910-BK-MPS-ESD	Black body, conductive silicone cups	€ 48.00	-	-
V8910-GR-MPS-ESD	Gray body, conductive silicone cups	€ 48.00	-	-
MAN				
	KIT WITH 6 PROBES + CUPS	1-4	5-24	25-UP
	e bent and one straight probe. Cup sizes are 1/8" (3.18mm),		PRICE EACH	
1/4" (6.35mm), 3/8" (9.53mm				
V8910-BK-LMS-ESD	Black body, conductive silicone cups	€ 48.00	-	-
V8910-GR-LMS-ESD	Gray body, conductive silicone cups	€ 48.00	-	-
1111				
PRO-SERIES PEN-VAC	KIT WITH 6 PROBES + CUPS	1-4	5-24	25-UP
Two of each size cup on one	e bent and one straight probe. Cup sizes are 1/4" (6.35mm),		PRICE EACH	
3/8" (9.53mm), 1/2" (12.7mm	n) diameter.			
V8910-BK-HLM-ESD	Black body, conductive silicone cups	€ 48.00	-	-
V8910-GR-HLM-ESD	Gray body, conductive silicone cups	€ 48.00	-	-
777				
	KIT WITH 10 PROBES + CUPS	1-4	5-24	25-UP
	e bent and one straight probe. Cup sizes are 1/8" (3.18mm),		PRICE EACH	
	m), 3/8" (9.53mm), 1/2" (12.7mm) diameter.			
V8910-BK-TEN-ESD	Black body, conductive silicone cups	€ 48.00	-	-
V8910-GR-TEN-ESD	Gray body, conductive silicone cups	€ 48.00	-	-
	11111111			
PRO-SERIES PEN-VAC	WITHOUT PROBES OR VACUUM CUPS	1-4	5-24	25-UP
You order the probes and cu	ups that you need. See pages 11 and 12 for details.		PRICE EACH	
V8910-BK-X	Black body	€ 42.00	-	-
V8910-GR-X	Gray body	€ 42.00	-	-
No Probes or Cups				
PRO-SERIES DISPLAY F		1-4	5-24	25-UP
	s with 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm),		PRICE EACH	
1/2" (12.7mm) diameter v				
VPB8910-9BK-ESD	Black body, conductive silicone cups	€ 48.00	-	-
VPB8910-9GR-ESD	Gray body, conductive silicone cups	€ 48.00	-	-

Prices subject to change without notice.

VACULA® & SLIM-VAC® ESD-SAFE VACUUM HANDLING TOOL KITS

SLIM BODY DESIGN

VACIJI A KIT WIT				
AUOFU INI MAI	TH 3 PROBES + CUPS	1-4	5-24	25-UP
Designed to hand	le parts when moving them into and out of burn-in trays,		PRICE EACH	
test sockets or oth	her component transfer operations. The plunger in the			
rear of the tool ac	tivates the vacuum. The VACULA is ESD-safe and is			
available in two di	ifferent models. The VC-1 comes with or without three			
vacuum cups on p	probes, 1/4" (6.35mm), 3/8" (9.53mm) and 1/2" (12.7mm)			
diameter.				
VC-1-B	With Static dissipative Buna-N rubber cups	€ 89.90	83.60	77.80
VC-1-ESD	With Conductive silicone cups	€ 89.90	83.60	77.80
VC-1-X	Tool only, no cups or probes	€ 77.30	71.30	66.85
111				
VACULA-2 KIT W	ITH 2 CUPS	1-4	5-24	25-UP
Designed to handle	parts when moving them into and out of burn-in trays, test sockets		PRICE EACH	
or other component	transfer operations. The plunger in the rear of the tool activates			
the vacuum. The V	ACULA is ESD-safe and is available in two different models.			
	ed with or without two vacuum cups, 1/2" (12.7mm) and			
	meter, that slip onto a barbed fitting. The barbed fitting provides			
extra lifting power.				
VC-2-B	With Static dissipative Buna-N rubber cups	€ 89.90	83.60	77.80
VC-2-ESD VC-2-X	With Conductive silicone cups	€ 89.90	83.60	77.80
VC-2-A	Tool only, no cups	€ 77.30	71.20	66.85
	4 PROBES + CUPS esigned vacuum handling tool that fits the hand more like a small pen	1-4	5-24 PRICE EACH	25-UP
-	the rear of the stainless steel tool allows connection to a retaining	•	TRIOL LAOIT	
•				
cord. The SLIM-VA	C kit is delivered to you with or without four vacuum cups and probes	3		
	C kit is delivered to you with or without four vacuum cups and probes	3		
(one bent and one s	straight probe with 1/8" (3.18mm) diameter vacuum cups, one	3		
(one bent and one s	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with	\$		
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with	€ 89.90	83.60	77.80
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B	straight probe with 1/8" (3.18mm) diameter vacuum cups, one ' (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup.		83.60 83.60	77.80 77.80
(one bent and one s bent probe with 1/4"	straight probe with 1/8" (3.18mm) diameter vacuum cups, one ' (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups	€ 89.90		
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups	€ 89.90 € 89.90	83.60	77.80
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups	€ 89.90 € 89.90	83.60	77.80
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes	€ 89.90 € 89.90 € 77.30	83.60 71.20	77.80 66.85
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes 6 PROBES + CUPS up on one bent and one straight probe. Cup sizes are 1/8" (3.18mm),	€ 89.90 € 89.90 € 77.30	83.60 71.20 5-24	77.80 66.85
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X SLIM-VAC WITH Two of each size cu 1/4" (6.35mm), 3/8" V9501-LMS-B	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes 6 PROBES + CUPS up on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), (9.53mm) diameter. With Static dissipative cups	€ 89.90 € 89.90 € 77.30	83.60 71.20 5-24	77.80 66.85
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X SLIM-VAC WITH Two of each size cu 1/4" (6.35mm), 3/8"	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes 6 PROBES + CUPS up on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), (9.53mm) diameter.	€ 89.90 € 89.90 € 77.30	83.60 71.20 5-24 PRICE EACH	77.80 66.85 25-UP
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X SLIM-VAC WITH (Two of each size cu 1/4" (6.35mm), 3/8" V9501-LMS-B	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes 6 PROBES + CUPS up on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), (9.53mm) diameter. With Static dissipative cups	€ 89.90 € 89.90 € 77.30	83.60 71.20 5-24 PRICE EACH	77.80 66.85 25-UP
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X SLIM-VAC WITH Two of each size cu 1/4" (6.35mm), 3/8" V9501-LMS-B V9501-LMS-ESD	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes 6 PROBES + CUPS up on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), (9.53mm) diameter. With Static dissipative cups	€ 89.90 € 89.90 € 77.30	83.60 71.20 5-24 PRICE EACH	77.80 66.85 25-UP
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X SLIM-VAC WITH Two of each size cu 1/4" (6.35mm), 3/8" V9501-LMS-B V9501-LMS-ESD	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes 6 PROBES + CUPS up on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), (9.53mm) diameter. With Static dissipative cups With Conductive silicone cups	€ 89.90 € 89.90 € 77.30 1-4 € 97.10	5-24 PRICE EACH 90.35 90.35	77.80 66.85 25-UP 84.00 84.00
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X SLIM-VAC WITH (1.05 mm), 3/8" V9501-LMS-B V9501-LMS-ESD	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes 6 PROBES + CUPS up on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), (9.53mm) diameter. With Static dissipative cups With Conductive silicone cups 4 PROBES + CUPS	€ 89.90 € 89.90 € 77.30 1-4 € 97.10	83.60 71.20 5-24 PRICE EACH 90.35 90.35	77.80 66.85 25-UP 84.00 84.00
(one bent and one s bent probe with 1/4" 3/8" (9.53mm) diame V9501-B V9501-ESD V9501-X SLIM-VAC WITH (10.55mm), 3/8" V9501-LMS-B V9501-LMS-ESD	straight probe with 1/8" (3.18mm) diameter vacuum cups, one (6.35mm) diameter vacuum cup, and one straight probe with eter vacuum cup. With Static dissipative Buna-N rubber cups With Conductive silicone cups Tool only, no cups or probes 6 PROBES + CUPS Ip on one bent and one straight probe. Cup sizes are 1/8" (3.18mm), (9.53mm) diameter. With Static dissipative cups With Conductive silicone cups 4 PROBES + CUPS with 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm), diameter vacuum	€ 89.90 € 89.90 € 77.30 1-4 € 97.10	83.60 71.20 5-24 PRICE EACH 90.35 90.35	77.80 66.85 25-UP 84.00 84.00



The top plunger actuated VACULA is suited for heavier items and perpendicular handling to the work surface.

Our SLIM-VAC line of tools functions like a PEN-VAC. The body of this tool is 3/8" (9.53mm) in diameter.

VACULA 5 1/2" (139.7mm) long 3/8" (9.53mm) diameter








Prices subject to change without notice.

5



We offer a wide selection of vacuum cups to meet your handling needs. Our vacuum cups can handle electronic components, glass lenses, hot components in the soldering/ rework process, high- temperature and certain medical applications.

3/32" V9009-* 1/8" V9013-*

3/16" V9018-*














VACUUM CUPS

ESD-SAFE AND NON-ESD-SAFE

VACUUM CUPS	ESD-SAFE	1-49	50-99	100-UP
Please specify pr	oduct by adding B or ESD to end of product number.		PRICE EACH	4
*-B to order the b	lack Buna-N static dissipative non-marking material.			
*-ESD to order th	e black high-temperature conductive silicone material.			
VI-V9009-*	3/32" (2.38mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9013-*	1/8" (3.18mm) diameter vacuum cup, longer stem	€ 1.98	1.91	1.85
VI-V9018-*	3/16" (4.76mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9025-*	1/4" (6.35mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9038-*	3/8" (9.53mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9050-*	1/2" (12.70mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9062-*	5/8" (15.88mm) diameter vacuum cup	€ 3.05	2.91	2.78
VI-V9075-*	3/4" (19.05mm) diameter vacuum cup	€ 3.05	2.91	2.78
VI-V9000K8-*	Kit of one each of the above vacuum cups (8)	€ 17.95	17.18	16.47
Example: VI-V90	009-ESD is the 3/32" (2.38mm) diameter vacuum cup			
in the	conductive silicone material.			

VACUUM CUPS	NON-ESD-SAFE	1-49	50-99	100-UP
Please specify p	roduct by adding W, R, U or C to end of product number.		PRICE EACH	
*-W to order the	white silicone material.			
*-R to order the I	high-temperature red silicone material.			
*-U to order the I	high-temperature blue silicone material.			
*-C to order the I	high-temperature clear silicone material.			
VI-V9009-*	3/32" (2.38mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9013-*	1/8" (3.18mm) diameter vacuum cup, longer stem	€ 1.98	1.91	1.85
VI-V9018-*	3/16" (4.76mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9025-*	1/4" (6.35mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9038-*	3/8" (9.53mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9050-*	1/2" (12.70mm) diameter vacuum cup	€ 1.98	1.91	1.85
VI-V9062-*	5/8" (15.88mm) diameter vacuum cup	€ 3.05	2.91	2.78
VI-V9075-*	3/4" (19.05mm) diameter vacuum cup	€ 3.05	2.91	2.78
VI-V9000K8-*	Kit of one each of the above vacuum cups (8)	€ 17.95	17.18	16.47
Evennele: V/ \/0	000 D in the 2/22" (2.29mm) diameter (2011) m our			

Example: VI-V9009-R is the 3/32" (2.38mm) diameter vacuum cup in the high-temperature red silicone material.

> Prices subject to change without notice.

DIMENSION	IS IN II	NCHES (MILL	IMETERS)					
PART #	SIZE	Α	В	С	OD	ID	PS	Е
VI-V9009-*	3/32	0.094(2.39)	0.140(3.56)	0.160(4.06)	0.078(1.98)	0.040(1.02)	0.045(1.14)	0.020(0.51)
VI-V9013-*	1/8	0.125(3.18)	0.160(4.06)	0.180(4.57)	0.100(2.54)	0.060(1.52)	0.055(1.40)	0.035(0.89)
VI-V9018-*	3/16	0.188(4.76)	0.175(4.45)	0.200(5.08)	0.130(3.30)	0.060(1.52)	0.055(1.40)	0.035(0.89)
VI-V9025-*	1/4	0.250(6.35)	0.160(4.06)	0.200(5.08)	0.100(2.54)	0.060(1.52)	0.055(1.40)	0.035(0.89)
VI-V9038-*	3/8	0.375(9.53)	0.190(4.83)	0.250(6.35)	0.125(3.18)	0.060(1.52)	0.055(1.40)	0.035(0.89)
VI-V9050-*	1/2	0.500(12.70)	0.190(4.83)	0.300(7.62)	0.160(4.06)	0.060(1.52)	0.055(1.40)	0.035(0.89)
VI-V9062-*	5/8	0.625(15.88)	0.175(4.45)	0.315(8.00)	0.160(4.06)	0.060(1.52)	0.055(1.40)	0.035(0.89)
VI-V9075-*	3/4	0.750(19.05)	0.140(3.56)	0.320(8.13)	0.160(4.06)	0.060(1.52)	0.055(1.40)	0.035(0.89)

- *-B to order the black Buna-N static dissipative non-marking material. (-5°F + 250°F) (-20°C + 120°C)
- *-ESD to order the black high-temperature conductive silicone material. (-65°F + 445°F) (-55°C + 230°C)
- *-R to order the high-temperature red silicone material. (-65°F + 480°F) (-55°C + 250°C)
- *-U to order the high-temperature blue silicone material. (-65°F + 480°F) (-55°C + 250°C)
- *-C to order the high-temperature clear silicone material. (-65°F + 480°F) (-55°C + 250°C)
- *-W to order the white silicone material. (-65°F + 480°F) (-55°C + 250°C)

VACUUM PROBES & CUPS

ESD-SAFE AND NON-ESD-SAFE

METAL DROBES	WITH ESD-SAFE VACUUM CUPS	1-49	50-99	100-UP
	oduct by adding straight or bent probe (S or B) to end	1-49	PRICE EACH	100-UP
of each product n			PRICE EACH	
•	aight probe. **-B to order a bent probe.			
VI-V8903-†-**				
A1-A0802-1	Black Buna-N static dissipative non-marking cup			
\/I\/\0040 ± **	with 1/2" (12.7mm) probe			
VI-V8913-†-**	Black Buna-N static dissipative non-marking cup			
\/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	with 1" (25.4mm) probe			
VI-V8904-†-**	High-temperature black conductive silicone cup			
\/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	with 1/2" (12.7mm) probe			
VI-V8914-†-**	High-temperature black conductive silicone cup			
	with 1" (25.4mm) probe	6005	0.70	0.00
	th the 3/32" (2.38mm) vacuum cup	€ 3.85	3.72	3.60
·	th the 1/8" (3.18mm) vacuum cup	€ 3.85	3.72	3.60
	th the 3/16" (4.76mm) vacuum cup	€ 3.85	3.72	3.60
	th the 1/4" (6.35mm) vacuum cup	€ 3.85	3.72	3.60
	th the 3/8" (9.53mm) vacuum cup	€ 3.85	3.72	3.60
	th the 1/2" (12.7mm) vacuum cup	€ 3.85	3.72	3.60
	th the 5/8" (15.88mm) vacuum cup	€ 4.95	4.74	4.55
	th the 3/4" (19.05mm) vacuum cup	€ 4.95	4.74	4.55
	-M-B is a bent 1/2" (12.7mm) probe with the 1/4" (6.35mm)			
Black I	Buna-N static dissipative non-marking cup.			
METAL PROBES	WITH NON-ESD-SAFE VACUUM CUPS	1-49	50-99	100-UP
	oduct by adding straight or bent probe (S or B) to end		PRICE EACH	
of each product n			7 7 1102 27 107 7	
•	aight probe. **-B to order a bent probe.			
VI-V8902-†-**	High-temperature red silicone cup			
VI-V0302- -	with 1/2" (12.7mm) probe			
VI-V8912-†-**	High-temperature red silicone cup			
VI-V0512- -	with 1" (25.4mm) probe			
\/I \/000C ± **	` '.			
VI-V8906-†-**	High-temperature blue silicone cup			
\/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	with 1/2" (12.7mm) probe			
VI-V8916-†-**	High-temperature blue silicone cup			
	with 1" (25.4mm) probe			
VI-V8907-†-**	High-temperature clear silicone cup			
	with 1/2" (12.7mm) probe			
VI-V8917-†-**	High-temperature clear silicone cup			
	with 1" (25.4mm) probe			
	th the 3/32" (2.38mm) vacuum cup	€ 3.85	3.72	3.60
•	th the 1/8" (3.18mm) vacuum cup	€ 3.85	3.72	3.60
	th the 3/16" (4.76mm) vacuum cup	€ 3.85	3.72	3.60
	th the 1/4" (6.35mm) vacuum cup	€ 3.85	3.72	3.60
†-L to order wit	th the 3/8" (9.53mm) vacuum cup	€ 3.85	3.72	3.60
	h the 1/2" (12.7mm) vacuum cup	€ 3.85	3.72	3.60
†-J to order wi	th the 5/8" (15.88mm) vacuum cup	€ 4.95	4.74	4.55
	th the 3/4" (19.05mm) vacuum cup	€ 4.95	4.74	4.55
	902-M-B is a bent 1/2" (12.7mm) probe with the 1/4"			
	mperature red silicone vacuum cup.			
METAL PROBES		1-49	50-99	100-UP
	tal probes have a metal hub that fits any of our vacuum		PRICE EACH	
	ustom bends and lengths are available upon request.			
VI-V3950-B	18 ga. bent 1/2" (12.7mm) probe	€ 1.98	1.91	1.85
VI-V3950-B	18 ga. straight 1/2" (12.7mm) probe	€ 1.98	1.91	1.85
VI-V3950-B-1		€ 1.96		1.95
v I=V JJJU-D= I	18 ga. bent 1" (25.4mm) probe 18 ga. straight 1" (25.4mm) probe	€ 2.10	2.02	1.95
		t / 10	/ 11/	1.30
VI-V3950-S-1				
VI-V3950-S-1 VI-V3972-B	15 ga. bent 1/2" (12.7mm) probe	€ 1.98	1.91	1.85
VI-V3950-S-1 VI-V3972-B VI-V3972-S	15 ga. bent 1/2" (12.7mm) probe 15 ga. straight 1/2" (12.7mm) probe	€ 1.98 € 1.98	1.91 1.91	1.85 1.85
VI-V3950-S-1 VI-V3972-B	15 ga. bent 1/2" (12.7mm) probe	€ 1.98	1.91	1.85



Vacuum probes are available with or without attached vacuum cups, which will fit most of your handling applications. The luer slip connector fits all of our vacuum handling tools. Custom probe lengths and bends are available upon request.

STRAIGHT PROBES & CUPS



BENT PROBES & CUPS







Microtronic GmgH Tel: 08722/9620-0 http://www.microtronic.de

CONTINUOUS POWERED VACUUM HANDLING TOOLS



SMD-VAC™ SERIES

ESD-SAFE VACUUM HANDLING SYSTEMS

SMD-VAC™-GP A general purpose vacuum handling tool that plugs directly into 110 VAC or 220 VAC 50-60 HZ. This compact unit will handle most of the surface mount components used in industry today. The long life diaphragm vacuum pump generates six inches of mercury. The unit connects to ground automatically with a three wire power cord. The SMD-VAC-GP comes complete with the following features: · Whisper-quiet operation.

shuts the unit off when the vacuum pen is placed in it. A jack on the rear of the V8100A

series allows use of the optional foot or hand switch to control vacuum during pick and

- 4 feet of straight vacuum hose, #VSH-1/16-4.
- 4 feet of coiled vacuum hose, #VCH-1/16-4.
- A set of seven vacuum tips. #VCS-7-B.
- A vacuum pick-up handle, #V3020-RF-1/16.
- Rubber no-skid feet.
- · Produces vacuum of over six inches of mercurv.

 Optional side mour 	nted handle holder.			
V8000	For 110 VAC	not availible i	n the EU	
V8000-220	For 220 VAC	€ 225.00	213.80	202.50
V8000-X	No tips, handles or hoses, for 110 VAC	not availible i	n the EU	
VCS-7-B	Replacement probe/cup kit	€ 25.70	24.40	23.10
WITH OPTIONAL	SIDE MOUNTED VACUUM PEN HOLDER	1-9 F	10-24 PRICE EACH	25-UP
V8000-HLD	For 110 VAC	not availible i	n the EU	
V8000-220-HLD	For 220 VAC	€ 252.00	240.00	227.00

SMD-VAC™-HP 1-9 10-24 25-UP PRICE EACH Additional pick-up power for handling small to very large size components. The precision pump and motor generate over fifteen inches of mercury. The compact tower design takes up a very small footprint on the bench. An electric eye pen holder on the side automatically

place operations. The SMD-VAC-HP comes complete with the following features: · Quiet operation.

- 4 feet of straight vacuum hose, #VSH-1/16-4.
- 4 feet of coiled vacuum hose, #VCH-1/16-4.
- A set of seven vacuum tips, #VCS-7-B.
- A vacuum pick-up handle, #V3020-RF-1/16.
- 12 volt power source.
- Automatic vacuum pump ON/OFF control.
- · Rubber no-skid feet.
- · ESD connection on rear of unit.
- · Produces vacuum of over fifteen inches of mercury.
- · Foot or hand switch is optional.

V8100A	For 110 VAC	not availible	in the EU	
V8100A-FS	With foot switch, for 110 VAC	not availible	in the EU	
V8100A-HS	With hand switch, for 110 VAC	not availible	in the EU	
V8100A-220	For 220 VAC	€ 621.00	589.95	559.00
V8100A-220-FS	With foot switch, for 220 VAC	€ 684.00	650.00	616.00
V8100A-220-HS	With hand switch, for 220 VAC	€ 684.00	650.00	616.00
V8100	No solenoid or foot/hand switch connection, for 110 VAC	not availible	in the EU	
V8100-220	No solenoid or foot/hand switch connection, for 220 VAC	€ 522.00	495.50	470.00
VCS-7-B	Replacement probe/cup kit	€ 26.55	24.40	23.10

FOOT OR HAN	10-24	25-UP		
Can be used with SMD-VAC-HP tools that have the optional foot switch jack at rear PRICE EACH				
of unit. (This will	include handle V3021).			
VFS-1	Foot switch	€ 81.00	77.00	73.00
VHS-1	Hand switch (not shown)	€ 81.00	77.00	73.00v

Prices subject to change without notice.

10-24

PRICE EACH

25-UP



The SMD-VAC series of bench top vacuum handling systems offer quiet operation and ESD safe protection.

SMD-VAC-GP 3" X 6" X 2 1/2" (76mm X 152mm X 64mm)




SMD-VAC-HP 3" X 2 1/2" X 6" (76mm X 64mm X 152mm)





9



MICROTRONIC MICROELECTRONIC VERTRIEBS GMBH

Microtronic Microelectronic Vertriebs GmbH Klein Grötzing D-84494 Neumarkt-Sankt Veit

Tel: 08422/9620-0 Fax: -30 Email: info@microtronic.de Web: www.microtronic.de

Überreicht durch:	

